



# U. S. Chemical Safety and Hazard Investigation Board

## RECOMMENDATION STATUS CHANGE

### SUMMARY

<b>Report:</b>	Fatal Liquid Nitrogen Release at Foundation Food Group
<b>Recommendation Number:</b>	2021-03-I-GA-R8
<b>Date Issued:</b>	December 11, 2023
<b>Recipient:</b>	Occupational Safety and Health Administration (OSHA)
<b>New Status:</b>	Open – Awaiting Response or Evaluation/Approval of Response
<b>Date of Status Change:</b>	Not Applicable – Initial Status

#### **Recommendation Text:**

*Develop and publish a Guidance Document (similar to OSHA 3912-03 Process Safety Management for Explosives and Pyrotechnics Manufacturing) for process safety management practices applicable to processes handling compressed gases and cryogenic asphyxiants, including (at a minimum) the practices highlighted in this report.*

#### **Board Status Change Decision:**

##### **A. Rationale for Recommendation**

On January 28, 2021, liquid nitrogen overflowed from an immersion freezer located inside Plant 4 at the Foundation Food Group (FFG) facility in Gainesville, GA. The release occurred while two maintenance employees were troubleshooting the equipment. Once the liquid nitrogen was released, it quickly vaporized and accumulated inside the room in which the equipment was located, creating an oxygen deficient atmosphere.

The two maintenance employees were fatally injured. Upon discovering the two fatally injured employees, an emergency response was initiated which included attempts by other employees to rescue them and isolate the freezer from its liquid nitrogen source. During these activities, four additional employees of FFG were fatally injured. Additionally, three more FFG employees and one firefighter were seriously injured, presenting symptoms of oxygen deprivation. The incident resulted in an estimated \$1.95 million in damage.

The U.S. Chemical Safety and Hazard Investigation Board (CSB) investigated the incident and found several safety issues including faulty equipment design, inadequate precautions for using liquid nitrogen, the lack of atmospheric monitoring and alarms, inadequate emergency preparedness, a lack of a safety management system, and a lack of regulatory coverage for cryogenic asphyxiants. As a result of these findings, the CSB issued five recommendations to the Occupational Safety and Health Administration (OSHA). This status change summary addresses **CSB Recommendation No. 2021-03-I-GA-R8**.